

THE LUXURY YOU DESERVE



THE NEXT GENERATION OF MOTORCOACHES IS HERE

Packed with technology that's never been seen on a motorcoach before, the 2017 Entegra Coach lineup sets the new standard for all-the-time comfort and on-the-road safety.

- En-telligent™ VegaTouch command center with larger touchscreen controls and HDMI® input
- Blind spot monitoring
- En-telligent Collision Mitigation System from OnGuard™ automatically brakes in dangerous situations
- Electronic stability control automatically slows the coach on extreme grades
- Pulsing third brake light signals when the coach is slowing down
- Low-beam LED headlights

^{*}Some features not available on all models

THE QUIETEST RIDING, BEST HANDLING COACH ON THE MARKET TODAY. **PERIOD**.

HERE'S WHY:

1. SPARTAN® CHASSIS

With more than 30 years' history of custom chassis manufacturing, Spartan gives us the industry's premier foundation.

2. EXCLUSIVE X-BRIDGETM FRAME

It's what we add to the chassis that really sets us apart: Our exclusive X-Bridge frame adds even more floor strength and structural rigidity, eliminating chassis flex and twisting; with it, the suspension—not the chassis—absorbs road shock and vibration.

3 WOOD FLOOR CONSTRUCTION

Our five-inch wood floors are laid on top of our reinforced steel subframe, creating one of the industry's thickest floors—reducing energy transmission, noise and vibration.

4. TILE AROUND THE CABINETRY

We screw our cabinets directly to the wood floor and then tile around them; other manufacturers place cabinets on top of the tile, causing squeaks or cracking.

5. RESIDENTIAL-STYLE WALLS AND ROOF

Our roof combines crowned aluminum truss rafters on 16-inch centers with Flexfoil®, fiberglass insulation and 3/8-inch plywood decking. Our walls, along with our front and rear caps, feature tucked-and-glued batting insulation—the same kind of fiberglass insulation found in sound-absorbing theater rooms.






















WOOD CHOICES



STANDARD CHASSIS EQUIPMENT

Spartan® K2 raised-rail chassis
Cummins® ISL turbocharged 450 HP engine, 1,250 lb. ft. torque
at 1,400 RPM

Allison® 3000 MH 6-speed transmission Reyco® Granning® IFS independent front air suspension Two-stage engine brake Bilstein® shocks

STANDARD CONSTRUCTION FEATURES

X-Bridge™ frames welded into chassis frame 2-inch x 4-inch floor truss construction ³/₄-inch, 7-ply plywood main floor decking

Aluma-Tru Superstructure construction on 12-inch - 16-inch centers 2.5-inch exterior wall with welded tubular aluminum

construction and high-gloss, gelcoat fiberglass Fiberglass roof with $^3/\!\!\! s$ -inch plywood decking and 4-inch arched aluminum roof truss

Steel-reinforced front cap and windshield frame

HEAT, A/C, POWER AND WATER EQUIPMENT

Aqua-Hot® 400 diesel hydronic water and heating system with in-floor heat

Onan® 10,000-watt diesel generator with auto-gen start on slideout tray

2,800-watt pure sine wave inverter

L16 AGM batteries (2), (6-volt/390 amp hours each)

Macerator holding tank dump system with manual gate valves and manual backup system

STANDARD EXTERIOR EQUIPMENT

LED high-beam headlights

Lighted grab handle with keypad system Keyless entry with key fob

Roof-mounted Girard® Vision dual-pitched patio awning with LED lights

Heated, remote-controlled, sideview mirrors with integrated cameras

Exterior 40-inch Samsung® LED HDTV with articulating arm Full-width rear mudflap with chrome "Aspire" nameplate

COCKPIT AMENITIES

Ultraleather, power-adjustable driver and passenger seats with integrated 3-point safety belts

Tilt and telescoping steering wheel with integrated controls JBL® premium audio sound system with speakers, amplifier and subwoofer.

Color, dual backup camera and monitor system with side and rear views

STANDARD INTERIOR EQUIPMENT

12-inch x 24-inch porcelain tile floor Samsung soundbars (2) In-step storage with pullout tray

STANDARD KITCHEN EQUIPMENT

Dimmable LED-lit, solid-surface countertops with stainless steel sink

Induction cooktop

Residential convection microwave oven

Samsung residential 23-cubic-foot refrigerator with ice maker and water dispenser

STANDARD BEDROOM EQUIPMENT

King-size Denver Mattress® Automatic lights in wardrobe

STANDARD BATHROOM EQUIPMENT

LED-lit, solid-surface countertop(s) with integrated sink Porcelain toilet(s) with push-button flush

STANDARD SAFETY EQUIPMENT

Security system with glass-shatter sensors Motion-sensor security lights (2) Smoke alarm LED marker and turn lights Pulsing third brake light

OPTIONS

Canadian Standards LED-lit electric fireplace (N/A on 40P, 44R) Dishwasher Slideout storage tray Second Girard patio awning

For a full list of standards and options, visit EntegraCoach.com

9

\sim	\circ	R	Z	F	R۹	ì	0	N	ŀ

Floorplan	GVWR (lbs.)	GCWR (lbs.)	Front GAWR (lbs.)	Rear GAWR (lbs.)	Tag GAWR (lbs.)			Exterior Height w/ A/C & Satellite	Exterior Width	Interior Height	Fresh Water Capacity (gal.) (Includes water heater)	Capacity (gal.)	Black Waste Water Capacity (gal.)
45A, 45B, 45J, 45K, 45W	54,000	74,000	20,000	20,000	14,000	320"	44' 11"	12' 11"	101"	84"	100	62	41

ANTHEM

Floorplan	GVWR (lbs.)	GCWR (lbs.)	Front GAWR (lbs.)	Rear GAWR (Ibs.)	Tag GAWR (lbs.)	Wheel Base	Overall Length	Exterior Height w/ A/C & Satellite	Exterior Width	Interior Height		Capacity (gal.)	Black Waste Water Capacity (gal.)
42DEQ, 42RBQ	49,000	64,000	17,000	20,000	12,000	296"	43' 1"	12' 9"	101"	84"	100	62	41
44A, 44B, 44DLQ	49,000	64,000	17,000	20,000	12,000	320"	44' 11"	12' 9"	101"	84"	100	62	41

ASPIRE

Floorplan	GVWR (lbs.)	GCWR (lbs.)	Front GAWR (lbs.)	Rear GAWR (lbs.)	Tag GAWR (lbs.)	Wheel Base	Overall Length	Exterior Height w/ A/C & Satellite	Exterior Width	Interior Height	Fresh Water Capacity (gal.) (Includes water heater)	Capacity (gal.)	Black Waste Water Capacity (gal.)
38M, 40P	41,000	56,000	17,000	24,000	N/A	261"	40' 6"	12' 9"	101"	84"	100	62	41
42DEQ, 42RBQ	49,000	64,000	17,000	20,000	12,000	296"	43' 2"	12' 9"	101"	84"	100	62	41
44B, 44R, 44U	49,000	64,000	17,000	20,000	12,000	320"	44' 11"	12' 9"	101"	84"	100	62	41

INSIGNIA

Floorplan	GVWR (lbs.)		Front GAWR (lbs.)	Rear GAWR (lbs.)	Tag GAWR (lbs.)		Overall Length					Capacity (gal.)	Black Waste Water Capacity (gal.)
44B, 44W	47,660	62,660	15,660	20,000	12,000	320"	44' 11"	12' 9"	101"	84"	100	62	41

ENTEGRA COACH, INC., P.O. BOX 460, MIDDLEBURY, IN 46540 WWW.ENTEGRACOACH.COM







See dealer for further information and pricing. All information in this brochure is the latest available at the time of publication. Entegra Coach reserves the right to make changes and to discontinue models without notice or obligation. Photos in this brochure may show optional equipment and props for photography purpose only. Video screens and monitors are simulated. RVs built for sale in Canada may differ to conform to Canadian Codes. ©2016 Entegra Coach, Inc. 30K Printed in U.S.A. 07/16.

Gross Vehicle Weight Rating (GVWR): The maximum permissible weight of the motorcoach, including the Unloaded Vehicle Weight (UVW) plus passengers, personal items, all cargo, fluids, options and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the Cargo Carrying Capacity. Gross Axle Weight Rating (GAWR): The maximum allowable weight each axle assembly is designed to carry, as measured at the tires, therefore including the weight of the axle assembly itself. Gross Combined Weight Rating (GCWR): The maximum allowable combined weight of the motorcoach used as a tow vehicle and the attached towed vehicle.