

# FORESTER



3011DS Shown in Desert Sand Decor with Rustic Cherry cabinetry

Tasteful design, combined with a unique combination of style, value and preferred amenities make travel in the Forester comfortable and loads of fun. Forester's unique split level design provides maximum headroom in the living area, while still offering pass-through storage on every floorplan. Plus, all Foresters are "Certified Green" by TRA Certification.

# STANDARD SERIES TOP FEATURES

- Lane departure warning system
- FR upgraded premium suspension system includes Bilstein shocks and Hellwig sway bar
- Firestone Ride-Rite<sup>™</sup> air spring suspension
- ONEControl<sup>®</sup> smart phone remote and monitor system
- 7' Ceiling height
- 40" 12V LED TV
- Crowned fiberglass roof
- Trekker cap option with built-in entertainment center and storage IPO overhead bunk
- 2"Thick gel coat sidewalls with lightweight composite waterproof material
- Heated enclosed tanks
- Water filtration system
- Electric awning with LED lights

- Valve extensions for rear tires
- 7,500 Lb. tow rating (Ford only)
- Two cab-over windows in the bunk area (N/A Trekker cap option)
- Upgraded stainless steel appliances with 1.3 cu. ft. microwave
- Standard side view and back-up cameras
- Front cab magnetic black-out shades enhance privacy
- Solid surface kitchen countertops
- Slide out awning toppers
- Integrated entry step
- CarPlay/Android Play Sony<sup>®</sup> stereo
- Maxx Air vent with cover
- Solar prep





3041DS Shown in Putty decor with Rustic Cherry Cabinetry



3041DS Rear closet











# **ONEControl® Smart Phone Remote Monitor System**

Forester is equipped with ONEControl\*, an app based user interface that provides comfort and convenience to control and monitor your RV's functions from an LED touch screen or a smart phone.

Download the free app to get started

Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Android, Google Play, and the Google Play logo are trademarks of Google Inc.

# Lane Departure Warning System

(N/A on LE and Transit models)


- NEW Voyager® VBSD1
   Blind Spot Detection System
- Specifically engineered to enhance Class C motorhome safety
- Visual and audible alerts warn drivers of obstacles not visible in the rear view mirror
- Uses radar detecting sensors on the rear corners of the motorhome that communicate with LED beacons in the cab
- Beacons remain lit until the blind spot is clear
- Beacon flashes with an audible alert when turn signal is engaged



# FORESTER

# STANDARD SERIES FLOORPLANS







RECLINERS 3011DS


SIDE-BY-SIDE REFER 2861DS 3011DS 3051S 32715



3011DS Shown in Desert Sand Decor with optional Rustic Cherry cabinetry











FOOT FOOT REST QUEEN BED 60" X 74" ENTRY 3271S

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, occupants, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GCWR (Gross Combined Weight Rating) - Is the maximum permissible loaded weight of your motor home and any towed trailer or towed vehicle. Actual GCWR of this vehicle may be limited by the sum of the GVWR and the installed hitch receiver maximum capacity rating; see hitch rating label for detail.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by each axle.

UVW (Unloaded Vehicle Weight)\* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s), including full fuel, all fluids and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.
\*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)\*\* - is the amount of weight available for fresh potable water, cargo, passengers, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for

note cargo capacty.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit. Actual towing capacity is dependent upon your particular loading and towing circumstances, which includes the GVWR, GAWR and GCWR as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.

AUBURN

**DESERT SAND** 

**PUTTY** 

\_\_\_\_\_

**CABINETRY** 

**RUSTIC CHERRY** 

**WEATHERED TEAK** 











Forester Ford • Chevy Chassis	22915	2441DS	2501TS	2861DS	3011DS	3041DS	3051S	3271S
Wheelbase	158" • 159"	182"	182" • 183"	202" • 203"	220"	220"	220"	220"
GVWR	14500 • 14200	14500	14500 • 14200	14500 • 14200	14500	14500	14500	14500
GAWRR	9600 • 9600	9600	9600 • 9600	9600 • 9600	9600	9600	9600	9600
GAWRF	5000 • 4600	5000	5000 • 4600	5000 • 4600	5000	5000	5000	5000
UVW	10624 • 10452	11690	11873 • 11910	12500 • 12550	12780	12930	12910	12917
GCWR	22000 • 20000	22000	22000 • 20000	22000 • 20000	22000	22000	22000	22000
Ш	3876 • 3748	2810	2627 • 2290	2000 • 1650	1720	1570	1590	1583
Fuel Capacity (Gal.)	55 • 57	55	55 • 57	55 • 57	55	55	55	55
Hitch Rating	7500/500 • 5000/500	7500/500	7500/500 • 5000/500	7500/500 • 5000/500	7500/500	7500/500	7500/500	7500/500
Length - Bumper To Bumper	24' - 6" • 25'	27' - 1"	27' - 1" • 27' - 7"	30' - 9" • 31' - 3"	32'-3"	32'-3"	31'-11"	31' - 11"
Exterior Height With A/C	11'-3"	11' - 3"	11'-3"	11' - 3"	11' - 3"	11'-3"	11'-3"	11'-3"
Exterior Width	101"	101"	101"	101"	101"	101"	101"	101"
Interior Width	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
Interior Height Frt/Rear	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"
Fresh/Grey/Black Water (Gal.)	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39
L.P. Capacity (Gal.)	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8
Awning Length	15' - 6"	18′	18'	14′	15' - 6"	16′	18'	16′
Water Heater (Gal.)	6	6	6	6	6	6	6	6
Exterior Storage (Cu. Ft.)	61	50	50	62.5	101.7	78	81.8	81.8

# PAINT OPTIONS

STANDARD Exterior

OCEAN BLUE Full body paint

SADDLE Full body paint







# FR Upgraded Premium **Suspension System**

Includes Bilstein® Shocks, Hellwig **RV Sway Bars and Firestone Ride-Rite Air Springs** 

Available on standard Class C, built on Ford E-450 (N/A on MBS, Transit, LE and Chevy)

# Bilstein<sup>®</sup> Shock Advantages

- Monotube gas pressure shock absorbers virtually eliminate excessive sway and bounce
- Tested and tuned for your specific motorhome, for a safe and enjoyable ride
- Improved handling and consistent performance
- 228% Larger piston creates greater sensitivity and tighter vehicle control
- Lifetime warranty



BILSTEIN



# Hellwia RV Swav Bar Advantages

- Increase driving stability at highway speeds and reduce the effects of crosswind
- Improve traction and cornering abilities for safer driving
- No more white knuckle driving
- Most effective handling upgrade available for RVs
- Lifetime warranty

# Firestone Ride-Rite Advantages

 Adjustable air springs provide an improved ride, and a better way to balance loads





Large panoramic windows with blackout shades for plenty of fresh air and natural light.



12V 4-Port USB charging station (Living room/bedroom, N/A LE)



quick maintenance includes bypass valve.



LED lights generate almost no heat compared to incandescent lights and use substantially less power.



Winterizing tube provides easy access for



Two batteries in a single housing for easy access. (One battery LE and Transit)



Forester is equipped with a residential mattress for a good night's sleep.

Seamless front cap for enhanced



The overhead bunk is rated for 440 lbs. and includes a cab over safety net





12V charging station



Solar On-Board roof-mounted, optional



(N/A LE)





Solar Prep

aerodynamics



Outside speakers





Durable, easy to clean (R-18) crowned fiberglass roof sheds water and doesn't cause black streaks like a rubber roof.



Forester's entry step is integrated into the sidewall. No more slippery, or damaged power steps. (N/A MBS)



Maxx Air Fan recirculates air throughout the entire coach.

**Progressive Dynamics** 



patented 4-stage Charge Wizard® converter system has been shown to increase battery life by 2 to 3 times or more. It constantly monitors battery usage and voltage, then selects one of four operating modes to properly charge and maintain the battery. Boost, Normal, Storage and Equalization.



7,500 Lb. Tow capacity (Ford E450)



Heated/enclosed holding tanks use warm air from the furnace to protect tanks and valves. (N/A 2251 SLE, MBS and Transit)



Comfortable sofa with footrests, folding armrests and drink tray converts to a convenient sleeping area.



The Sony touch screen in-dash stereo system pairs up with your smart phone for access to Apple CarPlay/Android GPS and other applications. (N/A on Transit or LE)



**ATWOOD** WATER HEATER



WATER HEATER

Atwood 18 GPH water heaters (6 gallon tank) out perform traditional 10 and 12 gallon tank water heaters. They're also 50% lighter and have no anode rod to replace.



All models include Atwood ducts for high performance air flow throughout the coach and front cabover.




Extend and retract the power awning with the push of a button. Both arms are adjustable to get just the right angle.



This multimedia entertainment system features AM/FM/DVD, Bluetooth, plus outside speaker control.





- 1. Crowned Fiberglass Roof 4. A/C Ducts
- 2. Luan Decking
- 5. Tubular Aluminum Framing
- 3. Block Foam Insulation 6. Interior Ceiling Material

## **Vacuum-Bond Laminated Sidewalls**

- 7. Decorative Interior Wall Board
- 8. Tubular Aluminum Framing
- 9. EGS Metal Backers
- 10. Block Foam Insulation
- 11. Opening Framed In Aluminum
- 12. Lightweight Composite Waterproof Material
- 13. Gelcoat Fiberglass Exterior

# **Vacuum-Bond Laminated Floor System**

- **14.** Fiberglass Bottom Board **17.** Resilient Shaw Floors
- 15. Block Foam Insulation
- **16.** Seamless Floor Decking **18.** Aluminum Framing
- - Throughout



**FORESTER** 2" Wall with Block Foam

and SuperLite (R-10)



**SUPER LITE WALLS** 

All models use SuperLite composite instead of a wood substrate on the sidewalls. It is lightweight, formaldehyde free and is not affected by moisture.



# FURESTER (


3251DSLE Shown in Putty Decor with optional Rustic Cherry cabinetry

## LE SERIES TOP FEATURES

- Fiberglass front cap
- Crowned fiberglass roof
- Fiberglass underbelly
- Fiberglass enclosed slides
- Cab-over safety net
- Cab-over curtain
- Cab-over A/C vent
- Two cab-over windows
- 40" 12V LED TV
- 2" Thick sidewalls
- Heated enclosed tanks (N/A 2251 SLE)
- Pass through storage
- Enclosed dump station
- Enclosed house battery
- One-piece pressed countertop
- Upgraded stainless steel appliances with 1.3 cu. ft. microwave
- Two large storage drawers in dinette
- Dinette child tethers
- Sofa foot rest
- Kid zone with seat belts (3251DSLE)
- Whole house entertainment
- Outdoor speakers
- Progressive Dynamics convertor with Quick Recovery
- Integrated step
- Pillow top mattress
- MCD Black-out roller shades
- Spare tire
- Lightweight substrate insulation



2251SLE



2351LE



2851SLE





3251DSLE Shown in Putty Decor with optional Rustic Cherry cabinetry

Ford • Chevy	2251SLE	2351LE	2851SLE	3251DSLE
Wheelbase	158" • 159"	158" • 159"	220"	220"
GVWR	14500 • 14200	14500 • 14200	14500	14500
GAWRR	9600 • 9600	9600 • 9600	9600	9600
GAWRF	5000 • 4600	5000 • 4600	5000	5000
UVW	10550 • 10590	10100 • 10130	11742	12580
GCWR	22000 • 20000	22000 • 20000	22000	22000
CCC	3950 • 3610	4400 • 4070	2758	1920
Fuel Capacity (Gal)	55 • 57	55 • 57	55	55
Hitch Rating	7500/500 • 5000/500	7500/500 • 5000/500	7500/500	7500/500
Length - Bumper To Bumper	23' - 10" • 24' - 4"	24' - 6" • 25'	31' - 5"	32' - 3"
Exterior Height With A/C	11'-3"	11'-3"	11' - 3"	11' - 3"
Exterior Width	101"	101"	101"	101"
Interior Width	95.5"	95.5"	95.5"	95.5"
Interior Height Frt/Rear	84"/77"	84"/77"	84"/77"	84"/77"
Fresh/Grey/Black Water (Gal)	35/32/27	44/39/39	44/39/39	44/39/39
L.P. Capacity (Gal)	9.8	9.8	9.8	9.8
Awning Length	14′	15' - 6"	15' - 6"	11′
Water Heater (Gal)	6	6	6	6
Exterior Storage (Cu. Ft.)	32	61	102	80



3251DSLE shown in Putty Decor with optional Rustic Cherry cabinetry, and Kid's Sofa Sleeper/Flip-down Bunk.



## **MERCEDES-BENZ® SERIES**

The quality you've come to expect, paired with a fuel efficient diesel platform.




# **MBS SERIES TOP FEATURES**

- Lane departure warning system
- ONEControl® smart phone remote and monitor system
- Swivel driver and passenger seats with booster seat cushions and removable table
- Trekker cap option with built-in entertainment center and storage IPO overhead bunk
- Adjustable, electric awning with LED light strip
- Crowned fiberglass roof
- Water filtration system
- Standard side view and back-up camera

- Front cab magnetic blackout shades enhance privacy
- Hellwig sway bar
- CarPlay/Android Play Sony® stereo
- Upgraded stainless steel appliances with 1.3 cu. ft. microwave
- Gel coat sidewalls with SuperLite composite
- Optional diesel generator
- Slide out awning toppers
- Optional 100W solar powered 12V charging system

OPTION








2401W Shown in Auburn Decor with optional Weathered Teak cabinetry









BLUETEC DIESEL ENGINE
BlueTec SCR Technology is
one of the world's cleanest
diesel engines, delivering
more power, while producing
fewer emissions. The 3.0I V-6
engine boasts 188 hp and
325 lb-ft of rated torque.


The optional low profile Trekker cap is accented with LED light strips. Saddle full body paint option


# Lane Departure Warning System

- NEW Voyager® VBSD1 Blind Spot Detection System
- Specifically engineered to enhance Class C motorhome safety
- Visual and audible alerts warn drivers of obstacles not visible in the rear view mirror
- Uses radar detecting sensors on the rear corners of the motorhome that communicate with LED beacons in the cab
- Beacons remain lit until the blind spot is clear
- Beacon flashes with an audible alert when turn signal is engaged

Standard swivel seats and booster cushions.







TS2381 Gas or diesel

# TS SERIES TOP FEATURES

- Engineered for fuel efficiency
- Ultra-light, eco-friendly building materials
- Class-leading pass-through storage
- Residential style cabinetry
- 12V LED TV
- Gas and diesel engines available (TS2371 Diesel only)
- 5.3 Cu. ft. Eurostyle refrigerator operates on 12V/110/LP
- All enclosed bathrooms with privacy door (No wet baths)
- Passenger swivel seat
- Back-up and side view cameras
- Power awning with LED light strip
- Interior surround sound entertainment system
- Exterior speakers
- Truma Combi electric heat and high efficiency water heater
- TS2371 includes power twin beds that convert into a queen size bed

Forester TS	TS2371	TS2381
Wheelbase	178	178
GVWR	10360	10360
GAWRR	7275	7275
GAWRF	4130	4130
UVW	8714	8145
GCWR	13500	13500
Ш	1646	2215
Fuel Capacity (Gal)	25	25
Hitch Rating	-	_
Length - Bumper To Bumper	26' - 1"	25' - 6"
Exterior Height With A/C	10' - 5"	10' - 5"
Exterior Width	87"	87"
Interior Width	84"	84"
Interior Height Frt/Rear	78"	78"
Fresh/Grey/Black Water (Gal)	35/30/28	35/30/30
L.P. Capacity (Gal)	9.8	9.8
Awning Length	15′	15"
Water Heater (Gal)	2.5	2.5
Exterior Storage (Cu. Ft.)	30.5	29



Transit Series is available in Charcoal decor only.

## **DECOR**









O: OPTION • S: STANDARD • —: NOT APPLICABLE

WARRANTY	FR		MBS	LE	TS
12 Months/12,000 mile basic limited warranty Chassis warranty (see owners manual)	S	S	S	S	S
SYSTEMS	FR	GTS	MBS	LE	TS
Battery disconnect	S	S	S	S	S
Nater heater bypass	S	S	S	S	<u></u>
(2) Deep cycle coach batteries (1 battery in LE and TS)	S	S	S	S	<u></u> S
'Easy Access" battery in step-well	S	S	S	S	
30 Amp service with detachable cord	S	S	S	S	<u></u> S
60 Amp Progressive Dynamics converter	S	S	S	S	<u></u> S
6 Gallon DSI gas/electric water heater	S	S	S	S	
30,000 BTU furnace	S	S	S	S	
Truma Combi water heater/furnace	_	_	_	_	S
Emergency start switch	S	S	_	S	S
Satellite/cable connection	S	S	S	S	S
13,500 BTU ceiling ducted roof air	S	S	S	S	<u></u> S
4.0 KW Onan Microquiet generator	S	S	_	S	Ē
3.6 KW Onan LP generator	_	_	S	_	
2.8 KW Onan gasoline generator (Gas Transit only)			Ė	_	S
2.5 KW Onan LP generator (Diesel Transit only)			_	_	S
Automatic generator transfer switch	S	S	S	_	
Firestone Ride-Rite air helper springs	S	S	_		Ĭ
Hellwig sway bar	_	_	 S		
Water filtration system	S	S	S		S
Heated, enclosed holding tanks and valves (N/A 2251SLE)	S	S	_		_
Arctic Package (12V tank heaters)	0	0	S	0	0
15K BTU A/C with heat pump	0	0	0	0	_
CO <sub>2</sub> , LP and smoke detector	S	S	S	S	S
Jack digital antenna	S	S	S	S	S
EXTERIOR	FR		MBS	LE	TS
2" Aluminum framed laminated sidewalls	S	S		S	
1.5" Aluminum framed laminated sidewalls		_	S	_	S
Sunerlite composite substrate	5	S	5	5	_
SuperLite composite substrate Gel Coat exterior fiberglass	S	S	S	S	<u>-</u>
Gel Coat exterior fiberglass	S	S	S	S	S
Gel Coat exterior fiberglass Block foam insulation	S	S	S	S	S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip	S S S	S S S	S S	S	S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings	S S S	S S S	S S S	S S S	S S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof	S S S S	S S S S	S S S S	S S S —	S S S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Silde-out awnings Fiberglass roof One-piece fiberglass front cap	S S S S S	\$ \$ \$ \$ \$	S S S S	S S S — S	S S S S
Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  One-piece fiberglass front cap  LED exterior lights	S S S S S	\$ \$ \$ \$ \$ \$ \$	S S S S S	S S S —	S S S S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint	S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S	S S S S S S	\$ \$ \$ \$ \$ \$
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners	S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	S S S — S	S S S S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S — S S — S S — S S — S S — S S — S — S S —	\$ \$ \$ \$ \$ \$
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof Dne-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S	\$ \$ \$ \$ \$ \$
Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  One-piece fiberglass front cap  LED exterior lights  Exterior skirt paint  Stainless steel wheel liners  Valve stem extensions  Roto-cast storage compartments  Driver side security light	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S — S S — S S — S S — S S — S S — S — S S —	S S S S S S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	S S S S S S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof Dne-piece fiberglass front cap ED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  Die-piece fiberglass front cap  ED exterior lights  Exterior skirt paint  Stainless steel wheel liners  Valve stem extensions  Roto-cast storage compartments  Driver side security light  Fiberglass running boards  110V, GFI protected exterior receptacle  Finted sliding windows  Finted frameless windows	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted frameless windows Finted frameless windows Heated, remote exterior mirrors	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	\$ 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  One-piece fiberglass front cap  LED exterior lights  Exterior skirt paint  Stainless steel wheel liners  Valve stem extensions  Roto-cast storage compartments  Driver side security light  Fiberglass running boards  110V, GFI protected exterior receptacle  Finted sliding windows  Finted frameless windows  Heated, remote exterior mirrors  7,500 Lbs. hitch, 7-pin connector (E450)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  One-piece fiberglass front cap  ED exterior lights  Exterior skirt paint  Stainless steel wheel liners  Valve stem extensions  Roto-cast storage compartments  Driver side security light  Fiberglass running boards  110V, GFI protected exterior receptacle  Finted sliding windows  Finted frameless windows  Heated, remote exterior mirrors  7,500 Lbs. hitch, 7-pin connector (E450)  5,000 Lbs. hitch, 7-pin connector (Chevy/E350)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	\$ 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof Dne-piece fiberglass front cap ED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector (Chevy/E350)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S
Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  Die-piece fiberglass front cap  ED exterior lights  Exterior skirt paint  Stainless steel wheel liners  Valve stem extensions  Roto-cast storage compartments  Driver side security light  Fiberglass running boards  110V, GFI protected exterior receptacle  Finted sliding windows  Finted frameless windows  Heated, remote exterior mirrors  7,000 Lbs. hitch, 7-pin connector (E450)  5,000 Lbs. hitch, 7-pin connector (Chevy/E350)  4,200 Lbs. hitch, 7-pin connector	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  One-piece fiberglass front cap  LED exterior lights  Exterior skirt paint  Stainless steel wheel liners  Valve stem extensions  Roto-cast storage compartments  Driver side security light  Fiberglass running boards  110V, GFI protected exterior receptacle  Finted sliding windows  Finted frameless windows  Heated, remote exterior mirrors  7,500 Lbs. hitch, 7-pin connector (E450)  5,000 Lbs. hitch, 7-pin connector (Chevy/E350)  4,200 Lbs. hitch, 7-pin connector  Spare tire  Roof ladder (N/A 2401R)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Floare tire Roof ladder (N/A 2401R) Integrated entry step	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof Dne-piece fiberglass front cap ED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R) Integrated entry step	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Slide-out awnings  Fiberglass roof  Dne-piece fiberglass front cap  ED exterior lights  Exterior skirt paint  Stainless steel wheel liners  Valve stem extensions  Roto-cast storage compartments  Driver side security light  Fiberglass running boards  110V, GFI protected exterior receptacle  Finted sliding windows  Finted frameless windows  Heated, remote exterior mirrors  7,500 Lbs. hitch, 7-pin connector (E450)  5,000 Lbs. hitch, 7-pin connector (Chevy/E350)  4,200 Lbs. hitch, 7-pin connector  Spare tire  Roof ladder (N/A 2401R)  Integrated entry step  Dower entry step  Dutside shower	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Side-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R) Integrated entry step Power entry step Dutside shower Automatic leveling system (4-point) (N/A on Chevy)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R) Integrated entry step Power entry step Dutside shower Automatic leveling system (4-point) (N/A on Chevy) Stabilizer jacks (2-point)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Finted frameless windows Finted frameless windows Finted frameless windows Food Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R) Integrated entry step Power entry step Power entry step Dutside shower Automatic leveling system (4-point) (N/A on Chevy) Stabilizer jacks (2-point) Full body paint	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof Dne-piece fiberglass front cap ED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R) Integrated entry step Dower entry step Dower entry step Doutside 12V. LED TV (See floorplans)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Side-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector (Chevy/E350) Expare tire Roof ladder (N/A 2401R) Integrated entry step Power entry step Dutside shower Automatic leveling system (4-point) (N/A on Chevy) Stabilizer jacks (2-point) Full body paint Dutside 12V. LED TV (See floorplans)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R) Integrated entry step Doutside shower Automatic leveling system (4-point) (N/A on Chevy) Stabilizer jacks (2-point) Full body paint Dutside 12V. LED TV (See floorplans) LP quick connect	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector (Chevy/E350) H,200 Lbs. hitch, 7-pin connector Figure tire Roof ladder (N/A 2401R) Integrated entry step Power entry step Dutside shower Automatic leveling system (4-point) (N/A on Chevy) Stabilizer jacks (2-point) Full body paint Dutside 2VV. LED TV (See floorplans) LP quick connect	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	\$ 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof Dne-piece fiberglass front cap ED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R) Integrated entry step Power entry step Dutside shower Automatic leveling system (4-point) (N/A on Chevy) Stabilizer jacks (2-point) Full body paint Dutside 12V. LED TV (See floorplans) LP quick connect Black tank flush CAB AREA 7"Touch screen radio with USB and Bluetooth	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	\$ 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Gel Coat exterior fiberglass  Block foam insulation  Power patio awning with LED light strip  Bilde-out awnings  Fiberglass roof  Die-piece fiberglass front cap  ED exterior lights  Exterior skirt paint  Stainless steel wheel liners  Valve stem extensions  Roto-cast storage compartments  Driver side security light  Fiberglass running boards  110V, GFI protected exterior receptacle  Finted sliding windows  Finted frameless windows  Heated, remote exterior mirrors  7,500 Lbs. hitch, 7-pin connector (E450)  5,000 Lbs. hitch, 7-pin connector (Chevy/E350)  8,200 Lbs. hitch, 7-pin connector  Fipare tire  Roof ladder (N/A 2401R)  Integrated entry step  Dower entry step  Dower entry step  Dutside shower  Automatic leveling system (4-point) (N/A on Chevy)  Stabilizer jacks (2-point)  Full body paint  Dutside connect  Black tank flush  CAB AREA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	\$ 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$

CAB AREA	FR	GTS	MBS	LE	TS
Ultra leather driver and passenger seats	S	S	S		S
Power windows and door locks	S	S	S	S	S
Keyless entry (N/A Chevy)	S	S	S	S	S
Color back-up camera with rear view monitor	S	S	S	S	S
Side view cameras	S	S	S	_	S
Wood grain dash	S	S	S	_	
Removable cab mat			S	_	
Swivel driver seat (N/A Chevy, Power)	0	0	S	_	
Power driver seat (Ford only)	0	0	_	_	
Swivel passenger seat (N/A Chevy)	0	0	S	_	
KITCHEN	FR		MBS	LE	TS
Recessed 3-burner range with flush glass cover	S	S	S	S	
Stainless steel appliances	S	S	S	_	
Range hood with fan and light	S	S	S	S	
Oven IPO drawer		_	0		
Microwave oven	S		-	S	
Convection microwave	0	S	S		S
6 Cu. ft. double door refrigerator	S	S	S	S	_
12 Cu. ft. four door refrigerator					
(2861DS, 3011DS, 3051S, 3271S)	0	_		_	_
Sink covers	S	S	S		S
5.3 Cu. ft. lightweight LP/Electric 110V refrigerator		_	_	=	S
Full extension ball bearing drawer guides	S	S	S	S	_
Flip-up countertop extension	S	S	S	<u>s</u>	
Solid surface galley	<u>S</u>	S	S	_	
BATHROOM	FR	_	MBS		TS
Lightweight composite toilet with hand sprayer	S	S	S	S	S
Glass shower door	S	S			
Lightweight Arcadia shower door		3	S		<u> </u>
Towel bar, tissue, toothbrush and soap holder	S	<u> </u>	S		S
Electric roof fan	5	5	5	<u> </u>	5
Shower head with flexible extension	S	5	S	<u> </u>	S
	S	S	S	<u>S</u>	S
Shower skylight	FR			)	
BEDROOM			MBS S	S	TS
Upgraded memory foam mattress	S	S			S
Bedspread (N/A TS2371)	S	S	S	S	S
Bedroom TV	S	S	S	_	S
Cedar lined closet	S	S	S	_	چا
LIVING ROOM	FR		MBS	LE	TS
Dream dinette (N/A with U-shape dinettes)	S	S	S	_	_
Visionary pull out sofa (60" x 74") (3011DS)	S	_	_	_	_
Black-out roller shades	S	S	S	S	
Surround sound	S	S	S	S	_
Child seat head tethers in dinette	S	S	S	S	_
Maxx Air fan with rain/temp sensor and power dome	S	S	S	_	S
LED floor lighting	S	S	S	_	_
12V. USB charging station	S	S	S		S

### **INTERACTIVE MOBILE MANUALS**

Download our mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Forester product. Ranging from "How-To" videos, pictures



and illustrations of various components, systems and features, to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away. View the online manual at www.forestriverinc.com/ownersmanuals, or download our FREE app from the App Store or GooglePlay!

For more information please visit: www.forestriverinc.com/forester 914 CR 1 • Elkhart, In 46514 • 574.262.2212 • 800.445.2825







### PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



## 24/7 EMERGENCY **ROADSIDE ASSISTANCE** WITH VEHICLE PURCHASE\*

**TOWING** JUMP-STARTS TIRE CHANGES FLUID DELIVERY LOCKOUT SERVICE

WINCH-OUT MOBILE MECHANIC **TECHNICAL** SUPPORT DEALER LOCATOR **SERVICES** 



**\*VALID FOR 1 YEAR FROM DATE OF PURCHASE** 





All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. ©2018 Forester - a Division of Forest River, Inc. - a Berkshire Hathaway Company 5/19

### **CUSTOMER SATISFACTION**



www.ForestRiverBuvLocal.com

Your Local Forester Dealer