


Arctic Fox



northwoodmfg.com

*"We welcome you to the Camping Comforts of
Arctic Fox 5th Wheels and Travel Trailers"*



Ron and Sherry Nash

Functional, Stylish and Comfortable...
Arctic Fox 27T with Emerald Interior

Arctic Fox Fifth Wheels and Travel Trailers capture all of these important considerations in every coach. All of our designs from floor plan to finish, are engineered and detailed with your traveling pleasure and convenience in mind. We know you are going to love the 2007 Arctic Fox!.. We invite you to take a look!

Northwood coaches are built to withstand off-road travel and provide you with all the comforts of home. This year's Arctic Foxes are no exception. We are constantly improving our construction methods and upgrading our interior amenities.

Attractive and Off-Road Tough

Arctic Fox

We've added some exceptional new features to the 2007 Arctic Fox. We understand the importance of building coaches that are insulated for all weather conditions and durable enough for extended cross-country travel.

All Foxes have thick insulation in the ceiling, floor and walls, so you will be protected from extreme temperatures in all seasons.

*That's why Arctic Fox has earned a **Four Season Rating**. If you're looking for year 'round comfort, choose Arctic Fox! From frame to finish, you will see the pride of workmanship reflected in our coaches.*

Arctic Fox 27T with Emerald Interior

Our structural steel chassis is designed for load capacity well beyond the weight of the coach and your belongings. Structural steel chassis frames (C-channel smaller units – "I" beam for super slide models) are engineered for superior strength and structural integrity specific for each model. Our trailers won't sag with age like many other competitors models. Exterior grade plywood floors (not strand board) with plenty of steel cross members in the frame, provide superior strength and resilience to the coach.



Structural Steel Chassis

Rustoleum Brand Finish



Additional Welds Create Camber in the Chassis for Greater Load Carrying Capacity



Extra Large Holding Tanks

Up to:
77gal Fresh
46gal Black
56gal Gray
many competitors tanks are less than 1/2 the size!

One Inch Thick Insulated/Locking Exterior Storage Compartment Doors



Large Capacity Exterior Access Storage Compartments

With Top Quality Automotive Weather Seals Around All Storage Doors All Metal Latches, Metal Catches and Metal Pulls on Doors



Interior Holding Tank Monitor Fully Insulated Tank Compartments



Dual #30 or #40 LP Tanks

2,000 LB Tongue Jack

All Northwood coaches have one of the highest highway safety ratings in the industry. Our durable one piece laminated hardwall surfaces are easy to maintain and are resistant to flying road debris, chips and dents. The tough diamond plate rockguard on small travel trailers and diamond plate bumper wrap, are tough, attractive and built to last. Fiberglass front and rear caps come standard on larger Fox models.

The straight axles provide extra ground clearance for off-road use and axle placement is engineered to offer the perfect balance for your tow vehicle and we include shock absorbers at every wheel. We use high performance tires with appropriate load ranges for maximum carrying capacity and safety. Retractable non-skid double steps or triple steps and folding, padded safety hand rails, provide safe and easy access.

Arctic Fox 26X with Nutmeg Interior

Arctic Fox 29-5T with Nutmeg Interior

FIFTH WHEELS AND TRAVEL TRAILERS

Hardwall-Filon
 One-piece Rubber Roof
 R-7 Insulation Walls & Floor
 R-18 Insulation In Ceiling
 Northwood Roof Truss System
 High Payload Axles, Tires & Wheels
 Shock Absorbers-all Wheels
 Electric Brakes On All Wheels
 Chrome Wheels, Lug Nuts, Hub Covers
 Stabilizer Jacks
 Heated Fresh Water & Holding Tanks
 Semi-automatic Winterization
 Built-In Black Water Tank Flush



You can walk our roofs from end to end. They are designed to withstand heavy snow loads and are crowned to shed water quickly. The Northwood 4 1/2" and 5 1/2" crowned roof truss system is glue bonded to 3/8" plywood, not strand board, and sealed with a continuous one-piece heavy gauge laminated rubber membrane. You will appreciate our oversized rain gutters and down spouts that divert water away from the side of the coach. You can also include a generator in Foxes starting with the 22H.

Photos in this brochure contain optional and standard items, and decor items. See dealer for specific information regarding standard equipment and optional features. Photos and drawings are representative of Northwood products and may differ slightly from actual production models. Northwood continually upgrades and improves its products and reserves the right to change specifications without notice. Check with your authorized dealer for update information.

Northwood Manufacturing *
 59948 Downs Road * PO Box 3359
 La Grande, OR 97850
 (541)962-6274

www.northwoodmfg.com












*I*nside the coach, every Fox is equipped with residential style ducted floor heating with metal registers and ducted roof-top air conditioning. We also include an awning, microwave, TV antenna, enclosed & heated holding tanks, black holding tank flush system, DSI gas & electric water heater, tinted windows, spare tire group and much more. Check out the complete list of features and compare the value and we are confident that you will choose Arctic Fox.

Arctic Fox 26X with Nutmeg Interior

SLIDE OUT MODELS

Arctic Fox Travel Trailer Floor Plans

SLIDE OUT MODELS










REAR BATH OPTION



NON-SLIDE TRAVEL TRAILERS




Arctic Fox 5th Wheel Floor Plans




SWIVEL CHAIR OPTION




Silver Fox Edition



Silver Fox Edition




Wide Body




Silver Fox Edition




Floor Plan Options



Free Standing Dinette




Optional Twin Beds
Available in Select Models



Booth Dinette & Optional Hide-A-Bed
available in all Super Slide Out Models

Interiors are Available in These Color Palettes



Autumn



Emerald



Nutmeg

Features and Options

	19B	22GQ	22H	22M	25P	25R	25S	26X	26Z	27E	27F	27T	29V	30U	31W	32D	33A	21-5R	23-5A	24-5N	27-5L	29-5E	29-5T	32-5S
CONSTRUCTION																								
Storm Windows	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
Thermal Pane	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
CHASSIS, FRAME & SUSPENSION																								
Rear Mount Spare w/Cover	S	S	S	S	S	S	S	N	S	N	N	N	N	N	N	N	N	S	S	S	N	N	N	N
12V Power Jack	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	S	S	S	S	S	S	S
16" Tire/Wheel/Spare Upgrade	N	N	N	N	N	N	N	O	N	O	N	O	O	O	O	O	O	N	N	N	O	S	S	S
Chassis Mount Spare	N	N	N	N	N	N	N	S	N	S	S	S	S	S	S	S	S	N	N	N	S	S	S	S
PLUMBING																								
6 Gal DSI Gas/Electric Water Heater	S	S	S	S	N	S	S	N	S	N	N	N	N	N	N	N	N	S	S	N	N	N	N	N
10 Gal DSI Gas/Electric Water Heater	N	N	N	N	S	N	N	S	N	S	S	S	S	S	S	S	S	N	N	S	S	S	S	S
ELECTRICAL																								
Generator Ready	N	O	O	O	N	O	O	N	O	N	O	N	N	N	N	N	N	N	N	S	S	S	S	S
2.5 Onan Generator LP	N	O	O	O	N	O	O	N	O	N	O	N	N	N	N	N	N	N	N	N	N	N	N	N
3.6 Onan Generator LP	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	O	O	O	O	O
5.5 Onan Generator LP w/50 Amp Service	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	O	O	O	O	O
LP GAS																								
Dual 30# LPG Bottles	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	N	S	N	N	N	N	N
Single 40# LPG Bottle	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	S	S	N	N	N	N	N
Dual 40# LPG Bottles	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	N	N	S	S	S	S	S
EXTERIOR																								
BBQ Grill	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O

Full 18 Month Warranty (All Models)

AIR CONDITIONING	19B	22GQ	22H	22M	25P	25R	25S	26X	26Z	27E	27F	27T	29V	30U	31W	32D	33A	21-5R	23-5A	24-5N	27-5L	29-5E	29-5T	32-5S
13.5K BTU A/C w/ Ducting	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	N
15.0K BTU A/C w/ Ducting	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	S
BATHROOM / LAVY																								
Shower Pan	O	O	O	O	O	O	O	O	O	O	O	O	S	N	S	N	N	N	O	S	S	S	N	N
Tub/Shower	S	S	S	S	S	S	S	S	O	S	S	O	S	N	S	N	N	S	S	S	O	O	N	N
Shower Screen	S	S	S	S	S	S	S	S	S	S	S	S	S	N	S	N	N	S	S	S	S	S	N	N
Neo Angular Shower	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	S	S
KITCHEN / GALLEY																								
Deep-Dbl Sink w/Hi Rise Faucet	S	S	S	S	S	S	S	N	S	S	N	N	N	N	N	N	N	S	S	N	N	N	N	N
Single Lever Faucet w/ Sprayer	N	N	N	N	N	N	N	N	N	N	S	S	S	S	S	S	S	N	N	N	S	S	S	S
Microwave	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	N	N
Range Cover	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	N	N
Double Door 6cu Ft Refer	S	S	S	S	N	S	N	S	N	S	N	N	N	N	N	N	N	S	S	N	N	N	N	N
Extra Large 8' Refer	N	N	N	N	S	O	N	S	N	O	S	S	S	S	S	S	S	N	N	O	S	S	S	S
INTERIOR																								
Booth Dinette	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Free-standing Dinette	N	N	N	N	N	N	N	O	N	N	O	O	O	O	O	O	O	N	N	O	O	O	O	O
Hide-a-Bed	N	N	N	N	N	N	N	O	N	N	O	O	O	O	O	O	O	N	N	N	O	O	O	O
Jackknife Sofa	N	N	N	N	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
One Swivel Rocker	N	N	N	S	N	N	S	N	N	S	N	S	N	S	S	S	S	N	N	O	S	S	N	N
Two Swivel Rockers	N	N	N	N	O	O	N	N	N	S	N	S	N	N	N	N	N	N	N	N	N	N	N	S

Your Arctic Fox Dealer

KEY: **S** Standard on All Models ~ **I** Included as Standard Build or Required Option ~ **O** Other Option Available ~ **N** Not Applicable

With numerous floor plans and options available, please note that some options are not available in certain plans.

Description	Arctic Fox Travel Trailers (*) Designates Slide																	Arctic Fox 5th Wheel Models (*) Designates Slide							
Model Number	19B	22GQ	22H	22M*	25P	25R*	25S	26Z2*	26X*	27E	27F*	27T*	29V*	30U*	31W*	32D*	33A*		21-5R	23-5A*	24-5N*	27-5L*	29-5E*	29-5T*	32-5S*
Dry Axle Weight (approx. Lbs.)	3985	4450	4340	5440	6026	5780	4780	5960	6150	5555	6340	6280	6880	7065	7260	6953	7740		4390	5520	5940	7060	7970	7510	7980
Dry Hitch Weight (approx. Lbs.)	395	580	540	580	760	600	600	800	1020	780	940	860	980	1160	980	1200	1140		950	1100	1180	1500	1600	1760	1800
Net Carrying Capacity	2620	2470	2620	3980	3214	3620	2495	3240	3630	3665	3520	4560	3840	3475	3460	3547	2820		2910	3380	4880	4440	3430	3730	3220
Gross Dry Weight-lbs	4380	5040	4880	6020	6786	6380	5380	6760	7170	6335	7280	7140	7860	8225	8240	8153	8880		5340	6620	7120	8560	9570	9270	9780
Gross Vehicle Weight Rating (GVWR)-Lbs.	7000	7500	7500	10000	10000	10000	7875	10000	10800	10000	10800	11700	11700	11700	11700	11700	11700		8250	10000	12000	13000	13000	13000	13000
Exterior Length (approx. w/hitch)	20'9"	23'6"	23'6"	23'10"	26'9"	27'1"	26'6"	29'5"	27'8"	28'7"	28'	28'	29'9"	31'11"	32'7"	34'8"	33'11"		22'10"	23'10"	25'	27'	30'	30'	32'3"
Exterior Height (approx. w/o A/C)	9'5"	9'5"	9'5"	9'6"	9'5"	9'6"	9'5"	9'6"	9'10"	9'10"	9'10"	9'10"	9'10"	9'10"	9'10"	9'10"	9'10"		9'10"	10'6"	10'6"	10'11"	11'1"	11'1"	11'7"
Exterior Width (approx. w/o awning)	8'	8'	8'	8'6"	8'6"	8'6"	8'	8'6"	8'	8'6"	8'	8'	8'	8'	8'	8'	8'		8'	8'	8'	8'	8'	8'	8'
Tire Size	ST205	ST205	ST205	ST225	ST205	ST225	ST205	ST225	ST225	ST225	ST225	ST225	ST225	ST225	ST225	ST235	ST225		ST205	ST225	ST225	ST225	ST235	ST235	ST235
	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	80R16	75R15		75R15	75R15	75R15	75R15	80R16	80R16	80R16
Load Range	C	C	C	D	D	D	C	D	D	D	D	D	D	D	D	E	D		C	D	D	D	E	E	E
Fresh Water Capacity (approx gal)	46	44	46	53	50	58	58	58	67	63	67	67	67	67	67	66	76		44	45	56	76	58	58	66
Gray Water Tank (approx. gallons)	44	41	41	41	40/35	41	41	40	30/25	40	40	40	35/25	54	40	40	36/24		30	30	35/35	35/35	35/35	50	60
Black Water Tank (approx. gallons)	35	35	35	35	35	35	35	35	44	35	34	34	44	42	34	42	46		40	40	35	35	35	35	35
LPG Capacity (approx. gallons)	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14		10	10	14	20	20	20	20
CSA - Canadian Dealers Only	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes		yes	yes	yes	yes	yes	yes	yes
Auto Ignition Furnace (BTU's)	20	25	25	25	25	25	25	25	30	30	30	30	30	30	30	35	35		20	25	25	35	35	35	35

Weights include Slide-out (if applicable), some options are not included in weights.

NorthwoodManufacturing, 59948 Downs Rd., PO Box 3359, La Grande, OR 97850 (541) 962-6274. Northwood, 380 Bataille Dr., PO Box 2630, Winchester VA 22604 (540) 542-6140 - www.northwoodmfg.com - 2007 Arctic Fox
Photos, drawings, dimensions and weights are presented as accurate but may differ from current production models. We continually upgrade & improve our products and reserve the right to change any specifications without notice. Please see your authorized Northwood dealer for updated information.

Popular Options Available

12 Volt Power Jack
Storm Windows
Thermal Pane Windows
Hide-a-Bed
Slide-Out Awning Topper
Solar Panels - 50w or 100w
Satellite Dishes
15.0K Air Conditioner
13.5K Low Profile A/C

See your dealer for availability in certain models

Print Date
9-06

SUMMER
2007